

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,634,119
Issued: December 15, 2009
Name of Patentee: ConforMIS, Inc.

Title of Invention: Fusion of Multiple Imaging Planes for Isotropic Imaging in MRI and Quantitative Image Analysis Using Isotropic or Near Isotropic Imaging

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO'S MISTAKE (37 C.F.R. § 1.322(a)) AND
FOR APPLICANT'S MISTAKE (37 C.F.R. § 1.323)

PTO'S MISTAKE (37 C.F.R. § 1.322(a))

1. Attached is PTO/SB/44 (also Form PTO-1050) in a form suitable for printing.
2. The exact page, claim and line number where the first listed error is shown correctly in Applicant's July 22, 2009 Response to the Office Action of January 22, 2009 are:

Page 6, claim 25, line 10

APPLICANT'S MISTAKE (37 C.F.R. § 1.323)

1. It is noted that the last listed error in this patent is of a clerical nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.
2. The exact page, claim and line number where the error occurs in Applicant's July 22, 2009 Response to the Office Action of January 22, 2009 are:

Page 12, claim 63, lines 7 and 8
3. Please send the Certificate to:

Alexander J. Smolenski, Jr.
SUNSTEIN KANN MURPHY & TIMBERS LLP
125 Summer Street
Boston, MA 02110-1618
US

4. Please pay the fee required by 37 C.F.R. § 1.20(a), as follows:

Authorization is hereby made to charge the amount of \$100.00 to Deposit Account No. 19-4972.

Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

Date: March 18, 2010

/Alexander J. Smolenski, Jr., Esq., #47,953/
Alexander J. Smolenski, Jr.
Reg. No. 47,953
SUNSTEIN KANN MURPHY & TIMBERS LLP
125 Summer Street
Boston, MA 02110-1618
US

02960/00117 1236033.1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,634,119

APPLICATION NO.: 10/728,731

ISSUE DATE : December 15, 2009

INVENTOR(S) : Konstantinos Tsougarakis, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 17, line 28
replace "system wherein"
with --system, wherein--

In Col. 18, line 57
replace "data volumes data volumes"
with --data volumes--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SUNSTEIN KANN MURPHY & TIMBERS LLP
125 Summer Street
Boston, MA 02110-1618

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.